

The Environmental Impact Assessment (Land Drainage Improvement Works) Regulations 1999 (as amended)

NOTICE IS HEREBY GIVEN that the **DONCASTER EAST INTERNAL DRAINAGE BOARD** proposes to carry out improvement works on the following watercourse in the Board's statutory district during 2024/2025.

Parish	Watercourse	Works	National Grid References
Tickhill CP	Middle Drain (Outfall) DED160100	Reforming / Outfall Repair	460567 – 395123 to 461082 - 395844
Tickhill CP	Wellingley Drain (DED160400)	Reforming	459089 – 395298 to 460122 - 395075
Tickhill CP	Dadsley Well Stream (DED160200)	Reforming	458939 – 394334 to 460713- 395340
Tickhill CP	Middle Drain (DED160500)	Reforming	460531 – 393708 to 460567 – 395122
Cantley CP Hatfield CP	South Ring Drain East (DED120300)	Reforming	467724 – 403492 to 469843 – 403309
Cantley CP	South Ring Drain North (DED120800)	Reforming	467452 – 403340 to 467720 – 403491
Auckley CP Cantley CP	South Ring Drain (DED121000)	Reforming	465479 – 402070 to 467450 – 403338

Works will involve the de-silting of the bed and re-grading of the banks and access improvements on the above watercourses unless otherwise stated. All works will be carried out on one bank only which will be selected as necessary to minimise the environmental impact, following a technical and environmental survey.

The Board has undertaken an environmental appraisal and considers that the proposals are not likely to have a significant effect on the environment and does not, therefore, intend to prepare an Environmental Statement in respect of the works.

Any person or body, who wishes to make representations to the Board in relation to the likely environmental impact of these proposals, must do so in writing to the offices of the Board at the address below within 30 days of the publication of this notice.

Mr A McGill
Clerk and Chief Executive,
Doncaster East Internal Drainage Board,
Wellington House, Manby Park,
Manby, LOUTH, Lincolnshire, LN11 8UU.

Telephone: 01507 328095

Date: 10th October 2024